



DRAWING LIST

PRELIMINARY:
NOT FOR CONSTRUCTION

REV'S ONLY						ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD		ENGINEER'S RECORD	
------------	--	--	--	--	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--	-------------------	--

- UNLESS OTHERWISE INDICATED, PROVIDE SHALL MEAN TO FURNISH AND INSTALL
- 2 THE CONTRACTOR SHALL EXERCISE CAUTION WHEN EXCAVATING UNDERGROUND UTILITIES MAY EXIST WHICH ARE NOT INDICATED ON THE DRAWINGS
- 3 THE CONTRACTOR SHALL COORDINATE ANY REQUIRED OUTAGES WITH THE OWNER
- 4 CONDUIT ROUTINGS ARE SHOWN DIAGRAMMATIC ACTUAL LOCATIONS SHALL BE DETERMINED BY CONTRACTOR TO SUIT EXISTING FIELD CONDITIONS
- 5 CONTRACTOR SHALL PROVIDE ALL MATERIALS FOR THE PERFORMANCE OF THIS PROJECT EXCEPT SPECIFICALLY LISTED OWNER FURNISHED MATERIALS
- 6 CONTRACTOR IS RESPONSIBLE FOR REPAIRING ANY DAMAGE TO EXISTING FACILITIES, ABOVE OR BELOW GROUND, THAT MAY OCCUR AS A RESULT OF THE WORK PERFORMED BY THE CONTRACTOR CONTRACTOR SHALL PROVIDE LABOR, EQUIPMENT, AND MATERIALS TO IMMEDIATELY REPAIR ALL DAMAGE CAUSED TO EQUIPMENT AND SYSTEM GROUNDS AND NOT WAIT UNTIL PROJECT IS COMPLETED NOTIFY THE OWNER IMMEDIATELY
- 7 EQUIPMENT SHALL BE NEMA RATED AND LISTED BY NATIONALLY RECOGNIZED LAB OF MATERIALS SUITABLE FOR THE ENVIRONMENT IN WHICH THEY ARE TO BE INSTALLED
- 8 CONTRACTOR SHALL CAP ALL UNUSED CONDUITS WITH OWNER APPROVED MATERIALS AND PLACE 4" ELECTRONIC BALL MARKER, 3M #1402, AT EACH CAPPED CONDUIT
- 9 ALL REMOVED MATERIALS AND EQUIPMENT WHICH ARE DEEMED REUSABLE, SALVAGEABLE OR RECYCLABLE BY THE OWNER SHALL REMAIN THE PROPERTY OF THE OWNER UPON REMOVAL AND SHALL BE TURNED OVER TO THE OWNER AND DELIVERED TO DESIGNATED LOCATION UNUSABLE MATERIALS AND CONSTRUCTION DEBRIS SHALL BE REMOVED AND DISPOSED OF BY CONTRACTOR OFFSITE MATERIALS CLASSIFIED AS HAZARDOUS, SHALL BE HANDLED AND DISPOSED OF IN ACCORDANCE WITH APPROVED AND ACCEPTED SAFETY PROCEDURES AND THE LAW WHEN HAZARDOUS MATERIALS ARE DESTROYED, PROVIDE CERTIFICATE OF DESTRUCTION
- 10 INFORMATION WAS OBTAINED FROM PREVIOUS STUDIES, DRAWINGS, SCHEMATICS, BES PERSONNEL, AND ABOVE GROUND FIELD INVESTIGATIONS EVERY EFFORT, (WITHIN THE ALLOWED SCOPE OF THE DESIGN) WAS MADE TO VERIFY ACCURACY OF THIS INFORMATION, HOWEVER FW&A NEITHER EXPRESSES OR IMPLIES COMPLETE ACCURACY OF SUPPLIED DATA
- 11 THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THE EXISTING PHASE ROTATION AND PHASING OF THE EXISTING ELECTRICAL SYSTEMS, PRIOR TO REMOVAL OF ANY EQUIPMENT OR CONDUCTORS PROVIDE QUALIFIED PERSONNEL AND THE APPROPRIATE TESTING EQUIPMENT AS REQUIRED TO SAFELY PERFORM THIS PHASING THE CONTRACTOR SHALL MATCH THE EXISTING PHASE ROTATION AND PHASING WHEN INSTALLING EQUIPMENT OR CONDUCTORS IN EXISTING ELECTRICAL SYSTEMS
- 12 WHERE NEW EQUIPMENT TO BE INSTALLED DOES NOT OCCUPY THE SAME PHYSICAL LOCATION AS THE EXISTING EQUIPMENT TO BE REMOVED THE CONTRACTOR SHALL HAVE ALL NEW SYSTEMS AND EQUIPMENT INSTALLED, TESTED AND PREPARED FOR ENERGIZING BEFORE REMOVING INDICATED EXISTING EQUIPMENT WHERE THE NEW EQUIPMENT IS TO OCCUPY THE SAME PHYSICAL LOCATION AS THE EXISTING EQUIPMENT, CONTRACTOR SHALL INSTALL AS MUCH OF THE NEW SYSTEM AS PRACTICAL WITHOUT AN OUTAGE, ALL NEW EQUIPMENT SHALL BE ON SITE AND TESTED PRIOR TO AN OUTAGE OR ANY SYSTEM OR EQUIPMENT COORDINATE ANY REQUIRED OUTAGES WITH BES PRIOR TO THE REMOVAL OF THE EXISTING EQUIPMENT
- 13 ALL CONTACTS ARE SHOWN IN THE DE-ENERGIZED STATE, UNLESS OTHERWISE NOTED

21	-	DISTANCE RELAY
280	-	HOT OIL THERMOMETER
25	-	SYNCHRONIZING CHECK RELAY
27	-	UNDERVOLTAGE RELAY
43	-	RELAY SWITCH
43RE	-	SELECTION SWITCH REMOTE ENABLE
49T	-	HOT SPOT THERMOMETER
50	-	INSTANTANEOUS PHASE OVERCURRENT RELAY
50BF	-	BREAKER FAILURE RELAY
50C	-	INSTANTANEOUS GROUND OVERCURRENT RELAY
51	-	TIME PHASE OVERCURRENT RELAY
51G	-	TIME GROUND OVERCURRENT RELAY
52	-	BREAKER AUXILIARY CONTACT
62	-	TIME DELAY RELAY
63	-	PRESSURE RELAY
63P	-	MECHANICAL PRESSURE RELIEF
63X	-	SUDDEN PRESSURE RELIEF
79	-	AC RECLOSING RELAY
86	-	LOCKOUT RELAY
86BF	-	BREAKER FAILURE LOCKOUT
86CP	-	BACKUP LOCKOUT
86CAP/FLR	-	BACKUP CAP BANK FAILURE
86CSF	-	CIRCUIT SWITCHER FAILURE LOCKOUT
86HD	-	HIGH SIDE BUS DIFF LOCKOUT
86T	-	TRANSFORMER DIFF LOCKOUT
87	-	DIFFERENTIAL RELAY
87B	-	DIFFERENTIAL RELAY
87T	-	TRANSFORMER DIFFERENTIAL RELAY
89	-	DISC SWITCH CONTACT
98	-	RECLOSE BLOCKING RELAY
201C	-	SCADA RTU CLOSING RELAY
201T	-	SCADA RTU TRIPPING RELAY
421	-	421 PRIMARY LINE RELAY
421BU	-	SEL 421 BACKUP LINE RELAY
2506P	-	SEL 2506 PRIMARY AUX RELAY
(BLOCK CLOSE)		

 PROVIDE AND INSTALL
 EXISTING
 REMOVE
 EQUIPMENT BOUNDARY

ABGO	+	AIR BREAK GANG OPERATED
AIL	+	AMBER INDICATION LAMP
AL ALUM	+	ALUMINUM
AMP	+	AMPERE
ANV	+	ANVIL
ATS	+	AUTOMATIC TRANSFER SWITCH
AWG	+	AMERICAN WIRE GAUGE
BES	+	BEACHES ENERGY SERVICES
BF	+	BREAKER FAILURE
BKR, BRKR	+	BREAKER
BLK	+	BLOCK
C	+	CONDUIT
CCM	+	CLOSE COIL MONITOR
CCVT	+	COUPLING CAPACITOR VOLTAGE XFMR
CS	+	CONTROL SWITCH
CT	+	CURRENT TRANSFORMER
CTRL	+	CONTROL
CH	+	CHANNEL
CKT	+	CIRCUIT
CKT SW	+	CIRCUIT SWITCHER
COMM	+	COMMUNICATION
CU	+	COPPER
CYC	+	CYCLE
DAM	+	DEMAND AMMETER
DIFF	+	DIFFERENTIAL
DTT	+	DIRECT TRANSFER TRIP
EA	+	EACH
EB	+	EARTH
FUT	+	FUTURE
DWG	+	DRAWING
FDR	+	FEEDER
FLR	+	FAILURE
FT	+	FEET
GALV	+	GALVANIZED
GND, GRD	+	GROUND
HBD	+	HIGH BUS DIFFERENTIAL
IND	+	INDICATION
INIT	+	INITIATE
JB	+	JUNCTION BOX
kcmil	+	THOUSAND CIRCULAR MILS
kV	+	KILOVOLT
LT	+	LIGHTS
LO	+	LOCKOUT
MCOV	+	MAXIMUM CONTINUOUS OVER VOLTAGE
MO	+	MOTOR OPERATOR
MR	+	MAX RATIO
NC	+	NORMALLY CLOSED
NO	+	NORMALLY OPEN
NTS	+	NOT TO SCALE
OCB	+	OIL CIRCUIT BREAKER
PH	+	PHASE
PLC	+	POWER LINE CARRIER
PNL	+	PANEL
POT	+	POTENTIAL
PT	+	POTENTIAL TRANSFORMER
RE	+	REMOTE ENABLE
RGS	+	RIGID GALVANIZED STEEL
RTU	+	REMOTE TERMINAL UNIT
SCADA	+	SUPERVISORY AND DATA ACQUISITION
RMV	+	REMOVE
RS1	+	RELAY SET 1
RS2	+	RELAY SET 2
SA	+	SURGE ARRESTER
SCS	+	SCADA CONTROL SWITCH
SEC	+	SECONDARY
SP	+	SPARE
SR	+	SET RATIO
SS	+	STATION SERVICE
SSC	+	SYNCHRONOUS SWITCHING CONTROLLER
SW	+	SWITCH
SWBD	+	SWITCHBOARD
SYN	+	SYNCHRONOUS
T	+	TRIP COIL
TCM	+	TRIP COIL MONITOR
TS	+	TEST SWITCH
TYP	+	TYPICAL
TX	+	TRANSFORMER
VARMET	+	VARIABLE
VM	+	VOLT METER
WM	+	WATT METER
XFMR	+	TRANSFORMER

FUSE

TERMINAL POINT DESIGNATION

12

DEVICE TERMINAL POINT

INTERNAL CONNECTION

EXTERNAL CONNECTION

FIELD TERMINAL POINT

LIGHT

A-AMBER

B-BLUE

G-GREEN

R-RED

W-WHITE

OR

W

TERMINAL POINT

1

48T1

DEVICE DESCRIPTION

TERMINAL POINT

2

TERMINAL POINT

TERMINAL POINT

RELAY PANEL NUMBER

M2

52

86

62

NORMALLY OPEN CONTACT

51

49T1

NORMALLY CLOSED CONTACT

2

60

421P

BFC

HIGH SPEED OUTPUT CONTACT

81

B1

TERMINAL POINT

15

11

18

15

13

14

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333

334

335

336

337

338

339

340

341

342

343

344

345

346

347

348

349

350

351

352

353

354

355

356

357

	SURGE ARRESTER
	CURRENT TRANSFORMER
	AC CIRCUIT
	PHYSICAL BUS
	DC CONTROL CIRCUIT
	GROUND
	SWITCH
	HOOK DISCONNECT SWITCH
	RELAY
	QUANTITY
	MICROPROCESSOR RELAY
	AMBER LIGHT
	GREEN LIGHT
	RED LIGHT
	CONTROL SWITCH (BREAKER CONTROL SWITCH)
	QUANTITY
	H.V. CIRCUIT BREAKER
	TRANSFORMER
	DELTA
	GROUNDED WYE
	RESISTOR

BK	BLACK
BL	BLUE
BL-BK	BLUE WITH BLACK STRIPE
BK-R	BLACK WITH RED STRIPE
G	GREEN
G-BK	GREEN WITH BLACK STRIPE
GY	GRAY
O	ORANGE
O-BK	ORANGE WITH BLACK STRIPE
R	RED
R-BK	RED WITH BLACK STRIPE
W	WHITE
W-BK	WHITE WITH BLACK STRIPE
Y	YELLOW
Y-BK	YELLOW WITH BLACK STRIPE
BR	BROWN
BR-BK	BROWN WITH BLACK STRIPE

[illegible]


INDEXED & RECORDED JOHN W. FRAZER P.L.# 80668

FW&A Fred Wilson & Associates, Inc.
Consulting Engineers
CA NO 7188 901 398 8636
3970 Hendricks Avenue • Jacksonville • Florida • 32207


ODOM SUBSTATION
REPLACE 69KV
CIRCUIT BREAKERS

GENERAL NOTES AND LEGEND

NO.	DWG. #
PROJECT #	GN
C902-26	SHEET NO.
SCALE	
NONE	



69 kV PARTIAL PLAN



SECTION A-A

NOTES:
1. DRAWINGS OF STEEL, SWITCHES, BUS AND EQUIPMENT TAKEN FROM LIMITED FIELD MEASUREMENTS. DIMENSIONS NEED TO BE FIELD VERIFIED BY THE CONTRACTOR.

CONTRACTOR NOTES:
1. INSTALL OWNER FURNISHED CIRCUIT BREAKERS ON EXISTING FOUNDATIONS.
2. INSTALL OWNER FURNISHED SWITCHES.
3. PROVIDE NEW CONNECTIONS, BUS, INSULATORS, AND TERMINATIONS AS NEEDED TO RECONNECT TO EXISTING BUSSES.

PRELIMINARY:
NOT FOR CONSTRUCTION

FILE NAME: P:\ELECTRICAL\BAYVIEW\BAYVIEW-26 ODOM REPLACE 69KV BREAKERS\WORKING\01 - PLAN AND SECTIONS.DWG - LAST SAVED: 11/23/2019 3:54 PM - PLOTTER: 11/23/2019 3:51 PM

10 11 12	13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1041 1042 1043 1044 1045 1046 1047 1048 1049 1050 1051 1052 1053 1054 1055 1056 1057 1058 1059 1060 1061 1062 1063 1064 1065 1066 1067 1068 1069 1070 1071 1072 1073 1074 1075 1076 1077 1078 1079 1080 1081 1082 1083 1084 1085 1086 1087 1088 1089 1090 1091 1092 1093 1094 1095 1096 1097 1098 1099 1100 1101 1102 1103 1104 1105 1106 1107 1108 1109 1110 1111 1112 1113 1114 1115 1116 1117 1118 1119 1120 1121 1122 1123 1124 1125 1126 1127 1128 1129 1130 1131 1132 1133 1134 1135 1136 1137 1138 1139 1140 1141 1142 1143 1144 1145 1146 1147 1148 1149 1150 1151 1152 1153 1154 1155 1156 1157 1158 1159 1160 1161 1162 1163 1164 1165 1166 1167 1168 1169 1170 1171 1172 1173 1174 1175 1176 1177 1178 1179 1180 1181 1182 1183 1184 1185 1186 1187 1188 1189 1190 1191 1192 1193 1194 1195 1196 1197 1198 1199 1200 1201 1202 1203 1204 1205 1206 1207 1208 1209 1210 1211 1212 1213 1214 1215 1216 1217 1218 1219 1220 1221 1222 1223 1224 1225 1226 1227 1228 1229 1230 1231 1232 1233 1234 1235 1236 1237 1238 1239 1240 1241 1242 1243 1244 1245 1246 1247 1248 1249 1250 1251 1252 1253 1254 1255 1256 1257 1258 1259 1260 1261 1262 1263 1264 1265 1266 1267 1268 1269 1270 1271 1272 1273 1274 1275 1276 1277 1278 1279 1280 1281 1282 1283 1284 1285 1286 1287 1288 1289 1290 1291 1292 1293 1294 1295 1296 1297 1298 1299 1300 1301 1302 1303 1304 1305 1306 1307 1308 1309 1310 1311 1312 1313 1314 1315 1316 1317 1318 1319 1320 1321 1322 1323 1324 1325 1326 1327 1328 1329 1330 1331 1332 1333 1334 1335 1336 1337 1338 1339 1340 1341 1342 1343 1344 1345 1346 1347 1348 1349 1350 1351 1352 1353 1354 1355 1356 1357 1358 1359 1360 1361 1362 1363 1364 1365 1366 1367 1368 1369 1370 1371 1372 1373 1374 1375 1376 1377 1378 1379 1380 1381 1382 1383 1384 1385 1386 1387 1388 1389 1390 1391 1392 1393 1394 1395 1396 1397 1398 1399 1400 1401 1402 1403 1404 1405 1406 1407 1408 1409 1410 1411 1412 1413 1414 1415 1416 1417 1418 1419 1420 1421 1422 1423 1424 1425 1426 1427 1428 1429 1430 1431 1432 1433 1434 1435 1436 1437 1438 1439 1440 1441 1442 1443 1444 1445 1446 1447 1448 1449 1450 1451 1452 1453 1454 1455 1456 1457 1458 1459 1460 1461 1462 1463 1464 1465 1466 1467 1468 1469 1470 1471 1472 1473 1474 1475 1476 1477 1478 1479 1480 1481 1482 1483 1484 1485 1486 1487 1488 1489 1490 1491 1492 1493 1494 1495 1496 1497 1498 1499 1500 1501 1502 1503 1504 1505 1506 1507 1508 1509 1510 1511 1512 1513 1514 1515 1516 1517 1518 1519 1520 1521 1522 1523 1524 1525 1526 1527 1528 1529 1530 1531 1532 1533 1534 1535 1536 1537 1538 1539 1540 1541 1542 1543 1544 1545 1546 1547 1548 1549 1550 1551 1552 1553 1554 1555 1556 1557 1558 1559 1560 1561 1562 1563 1564 1565 1566 1567 1568 1569 1570 1571 1572 1573 1574 1575 1576 1577 1578 1579 1580 1581 1582 1583 1584 1585 1586 1587 1588 1589 1590 1591 1592 1593 1594 1595 1596 1597 1598 1599 1600 1601 1602 1603 1604 1605 1606 1607 1608 1609 1610 1611 1612 1613 1614 1615 1616 1617 1618 1619 1620 1621 1622 1623 1624 1625 1626 1627 1628 1629 1630 1631 1632 1633 1634 1635 1636 1637 1638 1639 1640 1641 1642 1643 1644 1645 1646 1647 1648 1649 1650 1651 1652 1653 1654 1655 1656 1657 1658 1659 1660 1661 1662 1663 1664 1665 1666 1667 1668 1669 1670 1671 1672 1673 1674 1675 1676 1677 1678 1679 1680 1681 1682 1683 1684 1685 1686 1687 1688 1689 1690 1691 1692 1693 1694 1695 1696 1697 1698 1699 1700 1701 1702 1703 1704 1705 1706 1707 1708 1709 1710 1711 1712 1713 1714 1715 1716 1717 1718 1719 1720 1721 1722 1723 1724 1725 1726 1727 1728 1729 1730 1731 1732 1733 1734 1735 1736 1737 1738 1739 1740 1741 1742 1743 1744 1745 1746 1747 1748 1749 1750 1751 1752 1753 1754 1755 1756 1757 1758 1759 1760 1761 1762 1763 1764 1765 1766 1767 1768 1769 1770 1771 1772 1773 1774 1775 1776 1777 1778 1779 1780 1781 1782 1783 1784 1785 1786 1787 1788 1789 1790 1791 1792 1793 1794 1795 1796 1797 1798 1799 1800 1801 1802 1803 1804 1805 1806 1807 1808 1809 1810 1811 1812 1813 1814 1815 1816 1817 1818 1819 1820 1821 1822 1823 1824 1825 1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869 1870 1871 1872 1873 1874 1875 1876 1877 1878 1879 1880 1881 1882 1883 1884 1885 1886 1887 1888 1889 1890 1891 1892 1893 1894 1895 1896 1897 1898 1899 1900 1901 1902 1903 1904 1905 1906 1907 1908 1909 1910 1911 1912 1913 1914 1915 1916 1917 1918 1919 1920 1921 1922 1923 1924 1925 1926 1927 1928 1929 1930 1931 1932 1933 1934 1935 1936 1937 1938 1939 1940 1941 1942 1943 1944 1945 1946 1947 1948 1949 1950 1951 1952 1953 1954 1955 1956 1957 1958 1959 1960 1961 1962 1963 1964 1965 1966 1967 1968 1969 1970 1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100 2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129
----------------	--

NOTES:
1. DRAWINGS OF STEEL, SWITCHES, BUS AND EQUIPMENT
TAKEN FROM LIMITED FIELD MEASUREMENTS.
DIMENSIONS NEED TO BE FIELD VERIFIED BY THE CONTRACTOR.

[illegible]

69 kV ELECTRICAL PLAN AND SECTIONS

W.C. #	DAC #
PROJ. #	E01_RMV
0902-28	SHEET NO
SCALE	1 OF 1

2" COPPER

60KV INSULATOR AND BUS SUPPORT

1 1/2" COPPER

(2) 500 MCM COPPER

SECTION C-C

NOTES:
1. DRAWINGS OF STEEL, SWITCHES, BUS AND EQUIPMENT
TAKEN FROM LIMITED FIELD MEASUREMENTS.
DIMENSIONS NEED TO BE FIELD VERIFIED BY THE CONTRACTOR.


CONTRACTOR NOTES:

1. INSTALL OWNER FURNISHED CIRCUIT BREAKERS ON EXISTING FOUNDATIONS.
2. INSTALL OWNER FURNISHED SWITCHES.
3. PROVIDE NEW CONNECTIONS, BUS, INSULATORS, AND TERMINATIONS AS NEEDED TO RECONNECT TO EXISTING BUSES.


PRELIMINARY:
NOT FOR CONSTRUCTION

[illegible]

FILE NAME: F:\PROJECTS\002 BAYCOUNCIL\02-03 69KV REPLACE BAYCOUNCIL\WORKING\0202 - 04A-SECTIONC.DWG LAST SAVED: 1/17/2019 11:59 AM JOHN PLOTTER: 1/23/2019 5:02 PM



SECTION B-B



SECTION C-C

NOTES:
1. DRAWINGS OF STEEL, SWITCHES, BUS AND EQUIPMENT
TAKEN FROM LIMITED FIELD MEASUREMENTS.
DIMENSIONS NEED TO BE FIELD VERIFIED BY THE CONTRACTOR

PRELIMINARY:
NOT FOR CONSTRUCTION

REVISIONS				DESCRIPTION		DATE		BY	
NO.	DATE	DESCRIPTION	BY	DATE	DESCRIPTION	DATE	BY	DATE	BY

ENGINEER OF RECORD		JOHN P. FRANK		P.E. # 80668	
DRAWN		BY		DATE	
REVIEWED		BY		DATE	
CHECKED		BY		DATE	

Fred Wilson & Associates, Inc.		Consulting Engineers		901 19th St.	
CA 94012		1901 Mendocino Avenue • Ukiah • CA 95568		Phone: 708-3307	


ODOM SUBSTATION		REPLACE 69KV		CIRCUIT BREAKERS	
-----------------	--	--------------	--	------------------	--

SECTIONS		SHEET NO.		1 OF 1	
----------	--	-----------	--	--------	--

PROJECT #		0962-26		SHEET NO.	
-----------	--	---------	--	-----------	--

DWG #		E02_RMV		SHEET NO.	
-------	--	---------	--	-----------	--

FILE NAME: \\FREDWILSON\PROJECTS\6811-51-03\6811-51-03-0000\6811-51-03-0000-0000.dwg DATE PLOTTED: 11/21/2019 5:02 PM



DRAWING SOURCE:
FROM SMITH AND GILLIESPIE
PROJECT 6811-51-03 DRAWING 10,
LAST REVISED BY FW&A 11/2018

PRELIMINARY:
NOT FOR CONSTRUCTION

REVISIONS				DESIGNER				ENGINEER OF RECORD				PROJECT			
NO.	DATE	DESCRIPTION	BY	CHK	APP	DATE	DESCRIPTION	NO.	DATE	DESCRIPTION	BY	CHK	APP	DATE	DESCRIPTION
1								1							
2								2							
3								3							
4								4							
5								5							
6								6							
7								7							
8								8							
9								9							
10								10							

**Fred Wilson & Associates, Inc.**
Consulting Engineers
2400 N. 11th St.
Phoenix, AZ 85016

**ODOM SUBSTATION
REPLACE 69KV
CIRCUIT BREAKERS**

**CABLE AND CONDUIT
ROUTING PLAN**

SCALE	DATE
3/16"=1'-0"	11/21/2019

NO.	DATE
1	11/21/2019

NO.	DATE
1	11/21/2019

WIRE NO.	FUNCTION	TERMINATION FROM	TERMINATION TO	TYPE	CABLE			CONDUIT		
					SIZE	LENGTH	RUN NO.	SIZE	LENGTH	
101	VCB 5800 120/240 VAC HEATER/MOTOR	AC PANELBOARD "YP"	VCB 5800 CONTROL CABINET	RHW	4-1/C#12		C001	1"		
102	VCB 5800 125 VDC SUPPLY	DC PANELBOARD "EM"	VCB 5800 CONTROL CABINET	RHW	2-1/C#10		C002	1"		
103	VCB 5800 CONTROLS	CONTROL/RELAY PANEL NO. 1	VCB 5800 CONTROL CABINET	THWN	12/C#10		C003	2"		
104	VCB 5700 120/240 VAC HEATER/MOTOR	AC PANELBOARD "YP"	VCB 5700 CONTROL CABINET	RHW	4-1/C#12		C004	1"		
105	VCB 5700 125 VDC SUPPLY	DC PANELBOARD "EM"	VCB 5700 CONTROL CABINET	RHW	2-1/C#10		C005	1"		
106	VCB 5700 CONTROLS	CONTROL/RELAY PANEL NO. 1	VCB 5700 CONTROL CABINET	THWN	12/C#10		C006	2"		
107	VCB 5500 120/240 VAC HEATER/MOTOR	AC PANELBOARD "YP"	VCB 5500 CONTROL CABINET	RHW	4-1/C#12		C007	1"		
108	VCB 5500 125 VDC SUPPLY	DC PANELBOARD "EM"	VCB 5500 CONTROL CABINET	RHW	2-1/C#10		C008	1"		
109	VCB 5500 CONTROLS	CONTROL/RELAY PANEL NO. 1	VCB 5500 CONTROL CABINET	THWN	12/C#10		C009	2"		
110	VCB 5400 120/240 VAC HEATER/MOTOR	AC PANELBOARD "YP"	VCB 5400 CONTROL CABINET	RHW	4-1/C#12		C010	1"		
111	VCB 5400 125 VDC SUPPLY	DC PANELBOARD "EM"	VCB 5400 CONTROL CABINET	RHW	2-1/C#10		C011	1"		
112	VCB 5400 CONTROLS	CONTROL/RELAY PANEL NO. 1	VCB 5400 CONTROL CABINET	THWN	12/C#10		C012	2"		
113	CONTROL/RELAY PANEL 125 VDC SUPPLY	DC PANELBOARD "DP"	CONTROL/RELAY PANEL NO. 1	RHW	2-1/C#10		C013	2"		
	CITY RTU 125 VDC SUPPLY	DC PANELBOARD "DP"	C.O.B. RTU	THWN	4/C#12		C014	1"		
	SPARE	BATT ROOM PULL BOX	VCB 5800 CONTROL CABINET				C015	2"		
	SPARE	BATT ROOM PULL BOX	VCB 5700 CONTROL CABINET				C017	2"		
	SPARE	BATT ROOM PULL BOX	VCB 5500 CONTROL CABINET				C018	2"		
	SPARE	BATT ROOM PULL BOX	VCB 5400 CONTROL CABINET				C019	2"		
114	VCB 5800 METERING C.T.	CONTROL/RELAY PANEL NO. 3	VCB 5800 CONTROL CABINET	THWN	4/C#10		C060	1"		
115	VCB 5700 METERING C.T.	CONTROL/RELAY PANEL NO. 3	VCB 5700 CONTROL CABINET	THWN	4/C#10		C061	1"		
116	VCB 5500 METERING C.T.	CONTROL/RELAY PANEL NO. 3	VCB 5500 CONTROL CABINET	THWN	4/C#10		C062	1"		
117	VCB 5400 METERING C.T.	CONTROL/RELAY PANEL NO. 3	VCB 5400 CONTROL CABINET	THWN	4/C#10		C063	1"		
118	P.T. FUSE BOX HEATER	A.C. PANELBOARD "YP"	P.T. #1 FUSE BOX				C070	1"		
PT11	12KV EAST BUS POTENTIAL	P.T. #1 120/250V	P.T. #1 FUSE BOX	RHW	4-1/C#10		C071	1"		
PT11	12KV EAST BUS POTENTIAL	P.T. #1 FUSE BOX	CONTROL/RELAY PANEL NO. 1	THWN	4/C#10		C072	1"		
121	VCB 5800 RELAY POTENTIAL	P.T. #1 FUSE BOX	VCB 5800 CONTROL CABINET	THWN	4/C#12		C073	1"	40'	
122	VCB 5700 RELAY POTENTIAL	P.T. #1 FUSE BOX	VCB 5700 CONTROL CABINET	THWN	4/C#12		C074	1"	20'	
123	VCB 5500 RELAY POTENTIAL	P.T. #1 FUSE BOX	VCB 5500 CONTROL CABINET	THWN	4/C#12		C075	1"	40'	
124	VCB 5400 RELAY POTENTIAL	P.T. #1 FUSE BOX	VCB 5400 CONTROL CABINET	THWN	4/C#12		C076	1"	50'	
201	VCB 5100 120/240 VAC HEATER/MOTOR	AC PANELBOARD "AP"	OCB 5100 CONTROL CABINET	RHW	4-1/C#12		C015	1"		
202	VCB 5100 125 VDC SUPPLY	DC PANELBOARD "DP"	OCB 5100 CONTROL CABINET	RHW	2-1/C#10		C016	1"		
203	VCB 5100 CONTROLS	CONTROL/RELAY PANEL NO. 3	OCB 5100 CONTROL CABINET	THWN	12/C#10		C017	2"		
204	VCB 5200 120/240 VAC HEATER/MOTOR	AC PANELBOARD "AP"	OCB 5200 CONTROL CABINET	RHW	4-1/C#12		C018	1"		
205	VCB 5200 125 VDC SUPPLY	DC PANELBOARD "DP"	OCB 5200 CONTROL CABINET	RHW	2-1/C#10		C019	1"		
206	VCB 5200 CONTROLS	CONTROL/RELAY PANEL NO. 3	OCB 5200 CONTROL CABINET	THWN	12/C#10		C020	2"		
207	-	AC PANELBOARD "AP"	STUB-OUT (FUTURE VCB 5300)	-	-	-	C021	1"		
208	-	DC PANELBOARD "DP"	STUB OUT (FUTURE VCB 5300)	-	-	-	C022	1"		
209	-	CONTROL/RELAY PANEL NO. 3	STUB OUT (FUTURE VCB 5300)	-	-	-	C023	2"		

[illegible]

FWGA

Fred Wilson & Associates, Inc.
Consulting Engineers
CA NO 7188 904 398 8634
1970 Hermosa Avenue • Los Angeles 33 • 33307



ODOM SUBSTATION
REPLACE 69KV
CIRCUIT BREAKERS

[illegible]

PRELIMINARY:
NOT FOR CONSTRUCTION

WCI	
PAID TO	0902-26
BOOK	NONE

E06

[illegible][illegible]

FW&A Fred Wilson & Associates, Inc.
Consulting Engineers
CA NO 7189 904.398.8636
3970 Hendricks Avenue • Jacksonville • Florida • 32207




CONDUIT AND CABLE SCHEDULE
SHEET 2

PRELIMINARY:
NOT FOR CONSTRUCTION

NO#	Doc #
0902-26	E06_RMV
DATE	2 OF 2
NONE	

FILE NAME: F:\ELECTRICAL\BAYVIEW\BAYVIEW-25 69KV REPAIR BAYVIEW BRIDGEWORKS.DWG - DWG.DWG, LAST SAVED: 11/23/2016 4:57 PM, JWM, PLOTTED: 11/23/2016 3:02 PM



DRAWING SOURCE:
FROM SMITH AND GILLIESPIE
PROJECT 6811-51-03 DRAWING 2.
LAST REVISED BY FW&A 11/2018

PRELIMINARY:
NOT FOR CONSTRUCTION

COLOR WORK
PRINT
ADDITION SHEET


REVISIONS				DRAWING				PROJECT INFORMATION			
NO.	DATE	BY	CHKD.	NO.	DATE	BY	CHKD.	PROJECT #	DATE	BY	CHKD.
1	11/23/2016	JWM		1	11/23/2016	JWM		6811-51-03	11/23/2016	JWM	
2	11/23/2016	JWM		2	11/23/2016	JWM		6811-51-03	11/23/2016	JWM	
3	11/23/2016	JWM		3	11/23/2016	JWM		6811-51-03	11/23/2016	JWM	
4	11/23/2016	JWM		4	11/23/2016	JWM		6811-51-03	11/23/2016	JWM	
5	11/23/2016	JWM		5	11/23/2016	JWM		6811-51-03	11/23/2016	JWM	
6	11/23/2016	JWM		6	11/23/2016	JWM		6811-51-03	11/23/2016	JWM	
7	11/23/2016	JWM		7	11/23/2016	JWM		6811-51-03	11/23/2016	JWM	
8	11/23/2016	JWM		8	11/23/2016	JWM		6811-51-03	11/23/2016	JWM	
9	11/23/2016	JWM		9	11/23/2016	JWM		6811-51-03	11/23/2016	JWM	
10	11/23/2016	JWM		10	11/23/2016	JWM		6811-51-03	11/23/2016	JWM	

ENGINEER OF RECORD	JWM	DATE	11/23/2016
PROJECT #	6811-51-03	DATE	11/23/2016
PROJECT NAME	ODOM SUBSTATION	DATE	11/23/2016
PROJECT LOCATION	REPLACE 69KV	DATE	11/23/2016
PROJECT DESCRIPTION	CIRCUIT BREAKERS	DATE	11/23/2016

PROJECT #	6811-51-03	DATE	11/23/2016
PROJECT NAME	ODOM SUBSTATION	DATE	11/23/2016
PROJECT LOCATION	REPLACE 69KV	DATE	11/23/2016
PROJECT DESCRIPTION	CIRCUIT BREAKERS	DATE	11/23/2016

PROJECT #	6811-51-03	DATE	11/23/2016
PROJECT NAME	ODOM SUBSTATION	DATE	11/23/2016
PROJECT LOCATION	REPLACE 69KV	DATE	11/23/2016
PROJECT DESCRIPTION	CIRCUIT BREAKERS	DATE	11/23/2016

FILE NAME: F:\ELECTRICAL\WILSON\ODOM\ODOM REPLACE 69KV BREAKERS\WILSON\ODOM - THREE LINE.DWG LAST SAVED: 11/23/2018 3:28 PM JWBK PLOTTED: 11/23/2018 3:22 PM



THREE LINE

COLOR WORK
PRINT
ADDITION SHEET

DRAWING SOURCE
FROM LEEBY ELECTRIC CORP.
PROJECT 5047200 DRAWING 2,
LAS, REVISED BY LEEBY
ELECTRIC CORP. 06/24/1996

THE OFFICIAL RECORD OF
THIS SHEET IS THE
ELECTRONIC FILE DIGITALLY
SIGNED AND SEALED
UNDER RULE
61615-23.004, F.A.C.

Fred Wilson & Associates, Inc.
Consulting Engineers
5400 N.W. 11th Avenue, Suite 100
Fort Lauderdale, Florida 33309
JOHN P. FRANKO
PE License No. 30886

PROJECT #
0902-26
SHEET #









TWO #
E08
SHEET NO.
1 OF 1

ENGINEER OF RECORD JOHN P. FRANKO
Fred Wilson & Associates, Inc.
Consulting Engineers
5400 N.W. 11th Avenue, Suite 100
Fort Lauderdale, Florida 33309



ODOM SUBSTATION
REPLACE 69KV
CIRCUIT BREAKERS

THREE LINE
AC ELEMENTARY DIAGRAM



FLORIDA POWER CORP
BUS DIFFERENTIAL

**COLOR WORK
PRINT**
ADDITION SHEET

○ TERMINAL AT EQUIPMENT
△ TERMINAL AT CONTROL HOUSE

DRAWING SOURCE:
FROM SMITH AND GILLIESPIE PROJECT
6811-51-03 DRAWING 16, REV. B LAST
REVISED BY FW&A 11/2018

PRELIMINARY:
NOT FOR CONSTRUCTION

A.C. ELEMENTARY
DIAGRAMS
PANELS 1, 2, & 3

ODOM SUBSTATION
REPLACE 69KV
CIRCUIT BREAKERS

ENGINEER OF RECORD JOHN P. FRANK

FW&A Fred Wilson & Associates, Inc.
Consulting Engineers
CA. NO. 7188 904.308.6636
3970 Hendrick Avenue • Jacksonville • Florida • 32207

0902-26
SCAF: NONE

DWG #
E09
 SHEET NO
1 OF 1



AD

AD

AD

AD

AD

ADAD

AD



AD



AD

AD

AD


86°2' HA

[illegible]

- DRAWING SOURCE**
FROM SMITH & GILLESPIE
PROJECT 6811-51-03 DRAWING
18, LAST REVISED BY CEW JAN
2004

PRELIMINARY:
NOT FOR CONSTRUCTION

FWA




① BREAKER TB CONNECTIONS

**COLOR WORK
PRINT**
ADDITION SHEET

PRELIMINARY:
NOT FOR CONSTRUCTION

[illegible]

FILE NAME: P:\ELECTRICAL\BAYVIEW\0504-25 DODM REPLACE 69KV CIRCUIT BREAKERS WORKBOOK.DWG - REM-REPLACE 69KV CIRCUIT BREAKERS - 11/20/2019 3:24 PM JWH PRINTED: 11/20/2019 3:22 PM



DRAWING SOURCE:
FROM LEE BY S.E.E.
PROJECT 5047200
LAST REVISED BY
ELECTRIC CORP. 01/30/1996

THE OFFICIAL RECORD OF
THIS SHEET IS THE
ELECTRONIC FILE DIGITALLY
SIGNED AND SEALED
UNDER RULE
61035-23.004, P.A.C.

Fred Wilson & Associates, Inc.
Consulting Engineers
5047200
PROJECT 5047200
JOHN P. FRANKO
PE License No. 80888

COLOR WORK
PRINT
REMOVAL SHEET


NO. 1
DATE: 0807-26
SCALE:
SHEET NO.
E14_RMV
1 OF 1

ENGINEER OF RECORD: JOHN P. FRANKO
F.W.A. Fred Wilson & Associates, Inc.
Consulting Engineers
5047200
5047200
5047200






ODOM SUBSTATION
REPLACE 69KV
CIRCUIT BREAKERS

REMOTE WIRING
DIAGRAM




**COLOR WORK
PRINT**
ADDITION SHEET









**COLOR WORK
PRINT**
ADDITION SHEET

FW&A









**COLOR WORK
PRINT**
REMOVAL SHEET

DRAWING SOURCE
FROM SMITH & GILLESPIE
PROJECT 681-51-03 DRAWING
22, LAST REVISED BY CEW
JANUARY 2004

THE OFFICIAL RECORD OF
THIS SHEET IS THE
ELECTRONIC FILE DIGITALLY
SIGNED AND SEALED
UNDER RULE
61G15-23.004, F.A.C.

Fred Wilson & Associates, Inc.
Consulting Engineers
CA No. 108
2000 North Main Street, Suite 100, San Jose, CA 95131
ENGINEER OF RECORD
JOHN P. FRANK
PE License No. 50884

E19_RMV


FW&A Fred Wilson & Associates, Inc.
Consulting Engineers
CA 907-7188 904-398-8616
2810 N. Andrews Avenue • Jacksonville • Florida • 32207



ODOM SUBSTATION
REPLACE 69KV
CIRCUIT BREAKERS

CONTROL PANEL 2 WIRING DIAGRAM

FILE NAME: C:\PROJECTS\002\BARTON\002-18\000\REPLACE 69KV CIRCUIT BREAKERS\WORKS\002 - CONTROL PANEL 2 ELEVATION.dwg LAST SAVED: 11/23/2019 3:37 PM DRAWN: PLOTTED: 11/23/2019 5:03 PM



RELAY PANEL NO. 2
FRONT LAYOUT

MATERIAL LIST						
ITEM	DEVICE	STYLE	NUMBER	QTY	MFR	DESCRIPTION
01	TS1, TS2, TS3, TS4, TS5, TS6, TS7, TS8, TS9		81.0	10	ABB	FLEX TEST TEST SWITCHES
02	R1, R2, R3, R4		36	4	SEL	OVERCURRENT RELAY TRANSFORMER TANK GROUND
03	R7, R1, R8, R7, R7		267	2	SEL	TRANSFORMER DIFFERENTIAL RELAY
04	50/51, 52, 50/51, 52, 50/51, 52		35.5	2	SEL	Phase AND NEUTRAL OVERCURRENT RELAYS

NAMEPLATE LIST			
ITEM#	FIRST LINE	SECOND LINE	THIRD LINE
N1	PANEL NO. 2		
N2	TS1, TS2, TS3, TS4, TS5, TS6, TS7, TS8, TS9		
N3	R1, R2, R3, R4	TRANS NO. 1 (X)	TRANS NO. 2 (Y)
N4	50/51, 52, 50/51, 52, 50/51, 52	DIFFERENTIAL RELAY	SEL 267.12
N5	TS1, TS2, TS3, TS4, TS5, TS6, TS7, TS8, TS9		
N6	TS1, TS2, TS3, TS4, TS5, TS6, TS7, TS8, TS9	OVERCURRENT RELAY	SEL 35.5, 144
N7	TS1, TS2, TS3, TS4, TS5, TS6, TS7, TS8, TS9		
N8	TS1, TS2, TS3, TS4, TS5, TS6, TS7, TS8, TS9		
N9	TS1, TS2, TS3, TS4, TS5, TS6, TS7, TS8, TS9		
N10	TRANS NO. 1, NO. 2	DIFFERENTIAL RELAY	SEL 267.12
N11	TS1, TS2, TS3, TS4, TS5, TS6, TS7, TS8, TS9		
N12	TS1, TS2, TS3, TS4, TS5, TS6, TS7, TS8, TS9		
N13	TS1, TS2, TS3, TS4, TS5, TS6, TS7, TS8, TS9	OVERCURRENT RELAY	SEL 35.5, 144
N14	TS1, TS2, TS3, TS4, TS5, TS6, TS7, TS8, TS9		
N15	TS1, TS2, TS3, TS4, TS5, TS6, TS7, TS8, TS9		

- CONTRACTOR NOTES:
- 1. CONTRACTOR SHALL PROVIDE A NEW FRONT PANEL WITH ALL NEW RELAYS INSTALLED
 - 2. DRAWING CREATED FROM LIMITED SITE VISITS. THE CONTRACTOR IS RESPONSIBLE FOR FIELD SURVEYING THE EXISTING PANEL DIMENSIONS AND DETAILS FOR THE PURPOSES OF DESIGNING THE NEW PANEL FRONT.
 - 3. CONTRACTOR SHALL ASSUME THAT NO SHOP DRAWINGS OF THE EXISTING PANEL ARE AVAILABLE.

COLOR WORK
PRINT
REMOVAL & ADDITION SHEET

PRELIMINARY:
NOT FOR CONSTRUCTION

NO.	DATE	DESCRIPTION	BY	CHKD.	DATE

DATE	BY	DESCRIPTION

ENGINEER OF RECORD	JOHN P. FRANK	P.E. # 63886
 Fred Wilson & Associates, Inc. Consulting Engineers 3070 Henderson Avenue • Jacksonville, Florida 32207 904.776.8844		
		

ODOM SUBSTATION
REPLACE 69KV
CIRCUIT BREAKERS


CONTROL PANEL 2
ELEVATION

NO. 2	NO. 2
PROJECT #	02002-2b
SCALE	NONE

NO. 2	NO. 2
PROJECT #	02002-2b
SCALE	NONE

E20
1 OF 1

FILE NAME: E:\ELECTRICAL\BARTON\69KV-25\BOM\REPLACE 69KV BREAKERS\WORKSHEET\BOM - RMV CONTROL PANEL 2.ELEV.DWG LAST SWATCH: 11/23/2019 1:43 PM JOHN PLOTTED: 11/23/2019 5:03 PM



RELAY PANEL NO. 2
FRONT LAYOUT

MATERIAL LIST						
ITEM	DEVICE	STYLE	NUMBER	QTY	MFR	DESCRIPTION
101	511/12		CO-7	2	WESTINGHOUSE	TEST SWITCH, TYPE VTS, ASSEMBLY OF 1 GANDED THREE POLE POTENTIAL AND THREE SHUNT CIRCUIT CURRENT SWITCHES, BACK CONNECTED WITH CLEAR COVER (OWNER FURNISHED)
102	67/11		ABB	6	WESTINGHOUSE/ABB	TRANSFORMER DIFFERENTIAL RELAY
103	511/12		CO-8	8	SEL	PHASE AND NEUTRAL OVERCURRENT RELAYS

NAMEPLATE LIST			
ITEM	FIRST LINE	SECOND LINE	THIRD LINE
N1	PANEL NO. 2		
N2	TRANSFORMER RATIO		
N3	TRANSFORMER RATIO		
N4	TEST RATIO		
N5	A PHASE		
N6	B PHASE		
N7	C PHASE		
N8	OVERCURRENT TRANS NO. 1		
N9	A PHASE		
N10	B PHASE		
N11	C PHASE		
N12	DIFF. TRANS NO. 2		
N13	A PHASE		
N14	B PHASE		
N15	C PHASE		
N16	OVERCURRENT TRANS NO. 2		
N17	A PHASE		
N18	B PHASE		
N19	C PHASE		
N20	TRANSFORMER RATIO		
N21	TRANSFORMER RATIO		

- CONTRACTOR NOTES
- CONTRACTOR SHALL REMOVE ALL RELAYS AND CONNECTIONS AS SHOWN. RELAYS SHALL BE REMOVED CAREFULLY TO AVOID DAMAGE AND BE TURNED OVER TO THE OWNER AT THE END OF THE PROJECT.
 - DRAWING CREATED FROM LIMITED SITE VISITS. THE CONTRACTOR IS RESPONSIBLE FOR FIELD SURVEYING THE EXISTING PANEL DIMENSIONS AND DETAILS FOR THE PURPOSES OF DESIGNING THE NEW PANEL FRONT.
 - CONTRACTOR SHALL REMOVE THE EXISTING FRONT OF THE RELAY PANEL AND PROVIDE A NEW FRONT PANEL THAT IS CUT TO FIT THE NEW RELAY ARRANGEMENT.
 - CONTRACTOR SHALL ASSUME THAT NO SHOP DRAWINGS OF THE EXISTING PANEL ARE AVAILABLE.

COLOR WORK
PRINT
REMOVAL & ADDITION SHEET

PRELIMINARY:
NOT FOR CONSTRUCTION